



Move more and move it faster. Bridgestone Off-the-Road tires improve traction and maximize cut resistance. The innovative tread patterns extend tire life, while reinforced shoulders reduce sidewall damage. The quarry line up is designed to keep drivers and equipment safe while meeting the harsh job site demands. These tires resist the rocks, resist the heat and help you move more tons.

QUARRY EQUIPMENT FITMENT

| QUARRI | EQUIPIVI | | FIII | IVI E IV | | | | | 3 — | | | | | .//// | |
|--------|----------------------------|------|------|----------|------|-----|------|-----------|------------|------|------|-------|------|----------|------|
| | | VELS | VFT | VLT | VLTS | VMT | VMTP | VMTS | VREP | VRLS | VRQP | VSDL | VSDR | VSDT | |
| 00000 | Rigid Dump Trucks | • | • | | | • | • | • | • | • | • | | | | |
| | Articulated Dump Trucks | | | • | • | • | | | | | | | | | |
| 000 | Loaders/ Dozers | | | • | • | • | | | | | | • | • | A | |
| | 7 | | | | | | | | | | | | | | |
| | | VSMS | VSNL | VSNT | VTS | RLS | DL |] DLPT | DLSDT | HTLD | PTLD | SDTLD | SRG | SRGDT | STMS |
| 0000 | Rigid Dump Trucks | | | | | • | | | | | | | • | • | |
| | Articulated Dump Trucks | | | | | | | | | | | | • | • | |

Recommended


▲ Suitable

Loaders/ Dozers


MACHINE SUMMARY

| | | TRACTION | ROCK | ROCK DEEP | ROCK EXTRA DEEP | ROCK EXTRA DEEP SMOOTH |
|--------------------|-------------------------|----------|----------|---|-------------------------|---------------------------|
| | Rigid Dump Trucks | VFT | VMT | RLS, VELS, VMTP, VMTS, VREP, VRLS, VRQP | | |
| ZRIDGESTONE | Articulated Dump Trucks | | VLT | VLTS | | |
| | Loaders/Dozers | | VLT, VMT | RLS, VSNL, VSNT | DL, VSDL, VSDR, VSDT | STMS, VSMS |
| Firestone | Rigid Dump Trucks | | SRG | SRG DT | | |
| rirestone | Articulated Dump Trucks | | SRG | SRG DT | | |
| | Loaders/Dozers | SGG | SRG | SRG DT | SDT LD | HTLD, DL PT, PT LD |

RADIAL QUARRY TIRE LINEUP



BIAS QUARRY TIRE LINEUP



AVAILABLE SIZES \\\\\\\\\\\

| Brand | Pattern | Size | Ply/Star Rating | Brand | Pattern | Size | Ply/Star Rating |
|-------------|---------|------------|-----------------|-------------|---------|-----------|-----------------|
| BRIDGESTONE | DL | 17.5-25 | 16 | BRIDGESTONE | VLTS | 750/65R25 | 2* RATING |
| BRIDGESTONE | DL | 26.5-25 | 20 | BRIDGESTONE | VLTS | 875/65R29 | MS |
| BRIDGESTONE | DL | 29.5-25 | 28 | BRIDGESTONE | VMT | 17.5R25 | 1* RATING |
| BRIDGESTONE | DL | 45/65-45 | 58 | BRIDGESTONE | VMT | 20.5R25 | 1* RATING |
| BRIDGESTONE | RLS | 24.00-35 | 42 | BRIDGESTONE | VMT | 20.5R25 | 2* RATING |
| BRIDGESTONE | RLS | 26.5-25 | 26 | BRIDGESTONE | VMT | 23.5R25 | 1* RATING |
| BRIDGESTONE | RLS | 29.5-25 | 28 | BRIDGESTONE | VMT | 23.5R25 | 2* RATING |
| BRIDGESTONE | STMS | 12.00-24 | 20 | BRIDGESTONE | VMT | 26.5R25 | 1* RATING |
| BRIDGESTONE | STMS | 14.00-24 | 20 | BRIDGESTONE | VMT | 26.5R25 | 2* RATING |
| BRIDGESTONE | STMS | 17.5-25 | 20 | BRIDGESTONE | VMT | 29.5R25 | 1* RATING |
| BRIDGESTONE | STMS | 18.00-25 | 32 | BRIDGESTONE | VMT | 29.5R25 | 2* RATING |
| BRIDGESTONE | STMS | 26.5-25 | 32 | BRIDGESTONE | VMTP | 18.00R33 | 2* RATING |
| BRIDGESTONE | STMS | 26.5-25 | 36 | BRIDGESTONE | VMTP | 21.00R33 | 2* RATING |
| BRIDGESTONE | STMS | 29.5-29 | 34 | BRIDGESTONE | VMTP | 21.00R35 | 2* RATING |
| BRIDGESTONE | STMS | 35/65-33 | 42 | BRIDGESTONE | VMTP | 24.00R35 | 2* RATING |
| BRIDGESTONE | STMS | 45/65-45 | 58 | BRIDGESTONE | VMTP | 27.00R49 | 2* RATING |
| BRIDGESTONE | VELS | 18.00R25 | 2* RATING | BRIDGESTONE | VMTS | 14.00R25 | 3* RATING |
| BRIDGESTONE | VELS | 18.00R33 | 2* RATING | BRIDGESTONE | VMTS | 16.00R25 | 2* RATING |
| BRIDGESTONE | VELS | 21.00R35 | 2* RATING | BRIDGESTONE | VMTS | 18.00R25 | 2* RATING |
| BRIDGESTONE | VFT | 18.00R33 | 2* RATING | BRIDGESTONE | VREP | 27.00R49 | 2* RATING |
| BRIDGESTONE | VFT | 27.00R49 | 2* RATING | BRIDGESTONE | VRLS | 14.00R25 | 3* RATING |
| BRIDGESTONE | VLT | 20.5R25 | MS | BRIDGESTONE | VRLS | 16.00R25 | 2* RATING |
| BRIDGESTONE | VLT | 23.5R25 | MS | BRIDGESTONE | VRLS | 24.00R35 | 2* RATING |
| BRIDGESTONE | VLT | 26.5R25 | MS | BRIDGESTONE | VRLS | 27.00R49 | 2* RATING |
| BRIDGESTONE | VLT | 29.5R25 | MS | BRIDGESTONE | VRQP | 18.00R33 | 2* RATING |
| BRIDGESTONE | VLT | 33.25R29 | 2* RATING | BRIDGESTONE | VRQP | 24.00R35 | 2* RATING |
| BRIDGESTONE | VLT | 37.25R35 | 2* RATING | BRIDGESTONE | VSDL | 17.5R25 | 1* RATING |
| BRIDGESTONE | VLT | 40.5/75R39 | 2* RATING | BRIDGESTONE | VSDL | 20.5R25 | 1* RATING |
| BRIDGESTONE | VLT | 750/65R25 | MS | BRIDGESTONE | VSDL | 23.5R25 | 1* RATING |
| BRIDGESTONE | VLTS | 20.5R25 | MS | BRIDGESTONE | VSDL | 23.5R25 | 2* RATING |
| BRIDGESTONE | VLTS | 23.5R25 | MS | BRIDGESTONE | VSDL | 26.5R25 | 1* RATING |
| BRIDGESTONE | VLTS | 26.5R25 | 2* RATING | BRIDGESTONE | VSDL | 26.5R25 | 2* RATING |
| BRIDGESTONE | VLTS | 29.5R25 | 2* RATING | BRIDGESTONE | VSDL | 29.5R25 | 1* RATING |

| Brand | Pattern | Size | Ply/Star Rating | |
|-------------|---------|----------|-----------------|-----|
| BRIDGESTONE | VSDL | 29.5R25 | 2* RATING | FIR |
| BRIDGESTONE | VSDL | 29.5R29 | 2* RATING | FIR |
| BRIDGESTONE | VSDL | 35/65R33 | 2* RATING | FIR |
| BRIDGESTONE | VSDL | 45/65R39 | 1* RATING | FIR |
| BRIDGESTONE | VSDL | 45/65R45 | 1* RATING | FIR |
| BRIDGESTONE | VSDL | 45/65R45 | 2* RATING | FIR |
| BRIDGESTONE | VSDR | 20.5R25 | 1* RATING | FIR |
| BRIDGESTONE | VSDR | 20.5R25 | 2* RATING | FIR |
| BRIDGESTONE | VSDT | 23.5R25 | 1* RATING | FIR |
| BRIDGESTONE | VSDT | 26.5R25 | 1* RATING | FIR |
| BRIDGESTONE | VSDT | 29.5R25 | 2* RATING | FIR |
| BRIDGESTONE | VSDT | 29.5R29 | 2* RATING | FIR |
| BRIDGESTONE | VSDT | 35/65R33 | 2* RATING | FIR |
| BRIDGESTONE | VSMS | 12.00R20 | 2* RATING | FIR |
| BRIDGESTONE | VSMS | 12.00R24 | 2* RATING | FIR |
| BRIDGESTONE | VSMS | 14.00R24 | 2* RATING | FIR |
| BRIDGESTONE | VSMS | 18.00R25 | 2* RATING | FIR |
| BRIDGESTONE | VSMS | 9.00R20 | 2* RATING | FIR |
| BRIDGESTONE | VSNL | 14.00R20 | 2* RATING | FIR |
| BRIDGESTONE | VSNL | 35/65R33 | 2* RATING | FIR |
| BRIDGESTONE | VSNL | 45/65R45 | 2* RATING | FIR |
| BRIDGESTONE | VSNT | 26.5R25 | MS | FIR |
| BRIDGESTONE | VSNT | 29.5R25 | MS | FIR |
| BRIDGESTONE | VSNT | 29.5R29 | 2* RATING | FIR |
| BRIDGESTONE | VSNT | 35/65R33 | MT | FIR |
| FIRESTONE | DL PT | 45/65-45 | 58 | FIR |
| FIRESTONE | DLSDT | 35/65-33 | 42 | FIR |
| FIRESTONE | DLSDT | 45/65-45 | 58 | FIR |
| FIRESTONE | HTLD | 29.5-25 | 28 | FIR |
| FIRESTONE | HTLD | 65/35-33 | 42 | FIR |
| FIRESTONE | HTLD | 65/45-45 | 50 | FIR |
| FIRESTONE | PTLD | 26.5-25 | 26 | FIR |
| FIRESTONE | PTLD | 29.5-25 | 34 | FIR |
| FIRESTONE | PTLD | 33.25-35 | 50 | |

| FIRESTONE | PTLD | 45/65-39 | |
|-----------|-------|-------------|----|
| | | 45/05/55 | 46 |
| FIRESTONE | PTLD | 65/35-33 | 36 |
| FIRESTONE | PTLD | 65/35-33 | 42 |
| FIRESTONE | SDTLD | 20.5-25 | 16 |
| FIRESTONE | SDTLD | 20.5-25 | 20 |
| FIRESTONE | SDTLD | 23.5-25 | 16 |
| FIRESTONE | SDTLD | 23.5-25 | 20 |
| FIRESTONE | SDTLD | 26.5-25 | 20 |
| FIRESTONE | SDTLD | 26.5-25 | 26 |
| FIRESTONE | SDTLD | 29.5-25 | 22 |
| FIRESTONE | SDTLD | 29.5-25 | 28 |
| FIRESTONE | SDTLD | 29.5-29 | 28 |
| FIRESTONE | SDTLD | 41.25/70-39 | 42 |
| FIRESTONE | SDTLD | 65/35-33 | 30 |
| FIRESTONE | SDTLD | 65/35-33 | 42 |
| FIRESTONE | SDTLD | 65/40-39 | 36 |
| FIRESTONE | SRG | 16.00-25 | 28 |
| FIRESTONE | SRG | 18.00-49 | 32 |
| FIRESTONE | SRG | 26.5-25 | 26 |
| FIRESTONE | SRG | 29.5-29 | 28 |
| FIRESTONE | SRG | 29.5-29 | 34 |
| FIRESTONE | SRG | 37.25-35 | 36 |
| FIRESTONE | SRGDT | 16.00-25 | 28 |
| FIRESTONE | SRGDT | 18.00-25 | 32 |
| FIRESTONE | SRGDT | 18.00-25 | 40 |
| FIRESTONE | SRGDT | 18.00-33 | 32 |
| FIRESTONE | SRGDT | 18.00-33 | 44 |
| FIRESTONE | SRGDT | 21.00-35 | 36 |
| FIRESTONE | SRGDT | 21.00-35 | 40 |
| FIRESTONE | SRGDT | 27.00-49 | 48 |
| FIRESTONE | SRGDT | 33.25-35 | 38 |
| FIRESTONE | SRGDT | 33.25-35 | 50 |
| FIRESTONE | SRGDT | 33.5-33 | 50 |



BRIDGESTONE OFF-THE-ROAD SOLUTIONS

Intelligent Products

The Bridgestone OTR lineup of intelligent products offers the reliable performance our customers expect, and the productivity it takes to meet their current and emerging needs.



Integrated Technologies

Bridgestone OTR offers integrated technology that turn your Underground Hard Rock tires into real time data sources, increasing fleet production while reducing your overall cost per mile.

PRESSURE STAT

PressureStat™ allows you to actively monitor tire pressure and temperature of your entire fleet with real-time alerts to help prevent issues before they cut into your bottom line.



Designed to integrate fully with PressureStat™, the TreadStat™ tire and rim management solution enables you to make real-time decisions and share data instantly, to anywhere in the world.

Best-In-Class Service

We know that the best products and technologies only stay the best when paired with best-in-class service. Our extensive dealer network, comprehensive training programs, and highly-qualified field engineers help improve tire performance and reduce equipment downtime, so our off-the-road customers can focus on getting the job done.

